



 **WLSO** is a surface LED oval wall light, producing clearly defined symmetric of light. Adapted to illuminate ground surfaces with a wide beam of light with different sizes, wattage, lumen, CRI, and CCT options.

 **WLSO** è una lampada da parete ovale a LED di superficie, che produce simmetrica della luce chiaramente definita. Adattato per illuminare le superfici del terreno con un ampio fascio di luce con diverse opzioni di dimensioni, wattaggio, lumen, CRI e CCT.

TECHNICAL DATA

Type	Oval Bulkhead
Installation	Surface
Housing	Die-cast aluminium
Processing	Powder Coated
Diffuser	Polycarbonate
Light Emission Direction	Symmetrical
Glow Wire Test	850°
Safety Class	1
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Yes
Adjustable	No






LA LUCE


LIGHT - DESIGN - MORE

MODEL CODE



System Wattage (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐ 9	900	100	>80
☐ 10	1000	100	>80
☐ 13	1300	100	>80
☐ 15	1500	100	>80

COLOR TEMPERATURE OPTION



☐ 2700K ☐ 3000K ☐ 4000K ☐ 5000K ☐ 6000K

BEAM ANGLE

☐ WIDE



FINISH OPTION



☐ WH-White



☐ GR-Grey



☐ BR-Black

CONTROL OPTION

☐ DD

DALI DIM



☐ D1

0-10V DIM



☐ PD

Phase Cut DIM



☐ D0

On/Off

LED CHIPS

OSRAM



NICHIA

CREE

Panasonic

LUMINUS

TRIDONIC

CITIZEN ELECTRONICS CO., LTD.

TCI LED

bridgelux

LED DRIVERS

MW
MEAN WELL

TRIDONIC

EAGLE RISE

LA LUCE

TCI LED

PHILIPS


more information in www.la-luce.it



LA LUCE

LIGHT - DESIGN - MORE

PHOTOMETRIC



3D MODULE

