





 **BHb** is a bulkhead surface with grill luminaire feature IP65 rated construction with a die-cast aluminum body and polycarbonate diffuser for glare reduction. A CRI value of Ra > 80 ensures light quality and grill cover with a wide beam of light and different sizes, wattage, lumen, CRI, and CCT options.

 **BHb** è una superficie della paratia con apparecchio a griglia con struttura classificata IP65 con un corpo in alluminio pressofuso e diffusore in polycarbonato per la riduzione dell'abbagliamento. Un valore CRI di Ra> 80 garantisce qualità della luce e copertura della griglia con un ampio fascio di luce e diverse opzioni di dimensioni, wattaggio, lumen, CRI e CCT.

TECHNICAL DATA

Type	Bulkhead
Installation	Surface
Housing	Die-cast Aluminum
Processing	Powder Coated
Diffuser	Opal Polycarbonate with Grill
MacAdam	3 Step MacAdam
Light Emission Direction	Symmetrical
Glow wire test	850°
Safety Class	I
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Built-in
Adjustable	Fixed







LA LUCE

LIGHT - DESIGN - MORE

ORDERING



COLOR TEMPERATURE OPTION



Code No.	System Power (W)	Lumen Output (lm)	Luminaires Efficacy (lm/W)	CRI
☐ BHb-10W	10	1150	115	>80
☐ BHb-12W	12	1380	115	>80
☐ BHb-16W	16	1840	115	>80
☐ BHb-18W	18	2070	115	>80
☐ BHb-20W	20	2300	115	>80
☐ BHb-24W	24	2760	115	>80
☐ BHb-28W	28	3220	115	>80
☐ BHb-30W	30	3450	115	>80

BEAM ANGLE

☒ WIDE



FINISH OPTION



☐ WH-White ☐ GR-Grey ☐ BR-Black

CONTROL OPTION

☐ DD

DALI DIM



☐ D1

0-10V DIM



☐ PD

Phase Cut DIM



LED CHIPS

OSRAM



NICHIA

CREE

Panasonic

LUMINUS

TRIDONIC

bridgelux

CITIZEN ELECTRONICS CO., LTD.

TCI

more information in www.la-luce.it

LED DRIVERS



TRIDONIC



DONE



PHILIPS




Helvar

OSRAM

LTECH

PHOTOMETRIC



3D MODULE

