




 **MARKER** is a ground recessed round LED luminaire for installation outdoor for walk over and drive over with high mechanical strength. Ideal to illuminate walking paths, squares or driveways with one, two, three and four sided.

 **MARKER** è un compatto apparecchio da incasso a LED da incasso carrabile e calpestabile progettato per l'illuminazione di facciate di edifici, aree verdi, parchi e strutture esterne. Con l'uso di LED ad alta potenza, la gamma di luci da incasso a pavimento fornisce un'elevata luminosità a un basso consumo energetico.

TECHNICAL DATA

Type	Inground light
Installation	Recessed
Housing	Die-cast aluminum
Processing	Powder Coated
Diffuser	Tempered safety glass
Light Emission Direction	Symmetrical
Glow Wire Test	850°
Safety Class	II
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Yes
Gland	IP68 PVC






LA LUCE


LIGHT - DESIGN - MORE

MODEL CODE



System Wattage (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐ 2	315	105	>80
☐ 3	525	105	>80
☐ 5	735	105	>80
☐ 7	945	105	>80

COLOR TEMPERATURE OPTION



☐ 2700K ☐ 3000K ☐ 4000K ☐ 5000K ☐ 6000K

BEAM ANGLE

☐ WIDE



CONTROL OPTION

☐ DD

DALI DIM



☐ D1

0-10V DIM



☐ PD

Phase Cut DIM



☒ D0

On/Off

FINISH OPTION



☐ SS-Stainless Steel



☐ BL - Black



☐ GR-Grey

LED CHIPS

OSRAM



CREE

Panasonic

LUMINUS


TRIDONIC

CITIZEN ELECTRONICS CO., LTD.

TCI LED

bridgelux

more information in www.la-luce.it



LA LUCE

LIGHT - DESIGN - MORE

LED DRIVERS



TRIDONIC



DONE



TCI^{LED}
professional led applications

PHILIPS

Helvar

OSRAM

PHOTOMETRIC



3D MODULE

