





 **SQ120** is luminaries are fixed, built-in light fixture, creating a pure, rectangle, square, round and seamless opening in the ceiling. The light source is hidden in the wall or ceiling, providing the ultimate lighting comfort.. Application areas: residential, museums, retail, hotels.

 **SQ120** è apparecchi di illuminazione fissi e incorporati, che creano un'apertura pura, rettangolare, quadrata, rotonda e senza soluzione di continuità nel soffitto. La sorgente luminosa è nascosta nella parete o nel soffitto, fornendo il massimo comfort luminoso. Aree di applicazione: residenziale, musei, negozi, hotel.

TECHNICAL DATA

Type	Square Downlight
Installation	Recessed Downlight
Housing	Die-cast Aluminium
Processing	Powder Coated
Diffuser	Safety Glass with Special Anti Glare Lens
Light Emission Direction	Symmetrical
Glow wire test	850°
Safety Class	I
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Remote
Adjustable	No






LA LUCE


LIGHT - DESIGN - MORE

MODEL CODE



	System Wattage (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐	7	700	100	>90
☐	10	1000	100	>90
☐	12	1200	100	>90
☐	15	1500	1500	>90

COLOR TEMPERATURE



BEAM ANGLE OPTION

☐ 15° ☐ 18° ☐ 24° ☐ 30° ☐ 45° ☐ 60°



FINISH OPTION



CONTROL OPTION

- | | | |
|-----------------------------|---------------|--|
| ☐ DD | DALI DIM | |
| ☐ D1 | 0-10V DIM | |
| ☐ PD | Phase Cut DIM | |
| ☐ D0 | On/Off | |

LED CHIPS

OSRAM

CREE

TRIDONIC

TCLED

SEOUL

Panasonic

bridgelux

NICHIA

LUMINUS

CITIZEN ELECTRONICS CO., LTD.

LUMILEDS



LA LUCE

LIGHT - DESIGN - MORE

LED DRIVERS



TRIDONIC



DONE




TCI^{LED}
professional led applications

PHILIPS

Helvar

OSRAM

PHOTOMETRIC



3D MODULE

