






 **RCL03** is Rectangle High Efficiency LED Suspension is combination of clean, linear channels resulting in a geometric design with customized dimension and wattage.

 **RCL03** è una sospensione LED rettangolare ad alta efficienza che è una combinazione di canali lineari puliti che si traduce in un design geometrico con dimensioni e potenza personalizzati.

TECHNICAL DATA

Type	Decorative Chandelier
Installation	Suspended
Housing	Black Iron Base + Aluminum Frame + Silicon Gel
Processing	Powder Coated
Diffuser	PMMA
Light Emission Direction	Symmetrical
Glow wire test	850°
Safety Class	I
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Remote
Adjustable	Fixed/Adjustable






LA LUCE


LIGHT - DESIGN - MORE

MODEL CODE



System Wattage (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐ 45	4500	100	>90
☐ 60	6000	100	>90
☐ 90	9000	100	>90
☒ 110	11000	100	>90

COLOR TEMPERATURE OPTION



☐ 2700K ☒ 3000K ☐ 4000K ☐ 5000K ☐ 6000K

FINISH OPTION



☐ NI-Nickel ☐ BL - Black ☐ GR-Grey

CONTROL OPTION

- ☐ DD DALI DIM
- ☐ D1 0-10V DIM
- ☐ PD Phase Cut DIM
- ☒ D0 On/Off



LED CHIPS

OSRAM

CREE

TRIDONIC

TCIE
LED
professional led applications

SEOUL

Panasonic

bridgelux
Bringing Light and Life™

NICHIA

LUMINUS

CITIZEN ELECTRONICS CO., LTD.

LUMILEDS

LED DRIVERS

MW
MEAN WELL

TRIDONIC

EAGLE RISE

DONE

LA LUCE
LIGHT - DESIGN - MORE


TCIE
LED
professional led applications

PHILIPS

Helvar

OSRAM


more information in www.la-luce.it



LA LUCE

LIGHT - DESIGN - MORE

3D MODULE



LA LUCE

LIGHT - DESIGN - MORE