





 **MNSPOT** is Outstanding lighting fixture and provides a consistent ceiling appearance whilst the square spot slot provides the maximum adjustment in this type of small fixture. Application areas: external, bathrooms, residential, museums, retail, hotels.

 **MNSPOT** è un apparecchio di illuminazione eccezionale e fornisce un aspetto coerente del soffitto, mentre lo slot quadrato offre la massima regolazione in questo tipo di piccolo apparecchio. Aree di applicazione: esterno, bagno, residenziale, museale, retail, hotel.

TECHNICAL DATA

Type	Spotlight
Installation	Recessed Downlight
Housing	Die-cast Aluminium
Processing	Powder Coated
Diffuser	Tempered Glass
MacAdam	3 Step MacAdam
Light Emission Direction	Symmetrical
Glow wire test	850°
Safety Class	I
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Remote
Adjustable	No






LA LUCE

LIGHT - DESIGN - MORE


ORDERING

CODE



Code No.	System Power (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐ MNSPOT-10W	3	300	100	>90
☐ MNSPOT-12W	5	500	100	>90
☐ MNSPOT-15W	7	700	100	>90


COLOR TEMPERATURE




BEAM ANGLE OPTION



FINISH OPTION



CONTROL OPTION



LED CHIPS

OSRAM

CREE

TRIDONIC

TCLED

SEOUL

Panasonic

bridgelux


NICHIA

LUMINUS

CITIZEN ELECTRONICS CO., LTD.

LUMILEDS

more information in www.la-luce.it



LA LUCE

LIGHT - DESIGN - MORE

LED DRIVERS



TRIDONIC



DONE



TCI^{LED}
professional led applications

PHILIPS




HEP power for light

Helvar

OSRAM

LTECH

PHOTOMETRIC



3D MODULE



85mm x
85mm