

ROUND RECESSED LIGHT





 **DLIP SMALL** is a recessed LED Downlight with protected from the ingress of dust and water and are used in both outdoor and indoor environments and designed to last in extremely harsh environments.

 **DLIP SMALL** è un incasso LED Downlight con protezione dall'ingresso di polvere e acqua e vengono utilizzati sia in ambienti esterni che interni e progettati per durare in ambienti estremamente difficili.

TECHNICAL DATA

Type	Downlight
Installation	Recessed
Housing	Die-cast Aluminum
Processing	Powder Coated
Diffuser	Tempered Glass
Light Emission Direction	Symmetrical
Glow wire	850°
Safety Class	I
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Remote
Adjustable	Fixed/Adjustable






LA LUCE


LIGHT - DESIGN - MORE

MODEL CODE



System Wattage (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐ 4	460	115	>90
☐ 6	690	115	>90
☐ 8	920	115	>90
☐ 10	1150	115	>90
☐ 12	1380	115	>90

COLOR TEMPERATURE



☐ 2700K ☐ 3000K ☐ 4000K ☐ 5000K ☐ 6000K

BEAM ANGLE

☐ 10° ☐ 18° ☐ 20° ☐ 30° ☐ 36° ☐ 40° ☐ 60° ☐ 120°



CONTROL OPTION

- ☐ DD DALI DIM
- ☐ D1 0-10V DIM
- ☐ PD Phase Cut DIM
- ☐ D0 On/Off



FINISH OPTION



☐ WH-White ☐ BR-Black ☐ GO-Gold ☐ CH-Chrome ☐ NI-Nickel

LED CHIPS

OSRAM

CREE

TRIDONIC

TCI LED

SEOUL


Panasonic

bridgelux

NICHIA

LUMINUS

CITIZEN ELECTRONICS CO., LTD.



LA LUCE

LIGHT - DESIGN - MORE

LED DRIVERS



TRIDONIC



DONE




TCI^{LED}
professional led applications

PHILIPS

Helvar


OSRAM

PHOTOMETRIC



3D MODULE

ACCESSORIES



more information in www.la-luce.it