





 **BLK12** is a bulkhead surface wall mounted luminaire, an attractive and functional commercial grade exterior wall light with a die-cast aluminum body and polycarbonate diffuser.

 **BLK12** è un apparecchio per montaggio a parete a parete, un'applicazione per esterni di qualità commerciale attraente e funzionale con un corpo in alluminio pressofuso e un diffusore in polycarbonato.

TECHNICAL DATA

Type	Bulkhead
Installation	Surface
Housing	Die-cast Aluminum
Processing	Powder Coated
Diffuser	Opal Polycarbonate
MacAdam	3 Step MacAdam
Light Emission Direction	Symmetrical
Glow wire test	850°
Safety Class	I
Direct Mounting on Normal Flammable Surface	Yes
Driver Included	Built-in
Adjustable	Fixed






LA LUCE


LIGHT - DESIGN - MORE

ORDERING CODE



Code No.	System Power (W)	Lumen Output (lm)	Luminaire Efficacy (lm/W)	CRI
☐ BLK12-18W	18	1800	100	>90
☐ BLK12-20W	20	2000	100	>90
☐ BLK12-25W	25	2500	100	>90
☐ BLK12-30W	30	3000	100	>90
☐ BLK12-35W	35	3500	100	>90

COLOR TEMPERATURE OPTION



BEAM ANGLE

☒ WIDE



FINISH OPTION



☐ WH-White ☐ GR-Grey ☐ BR-Black

CONTROL OPTION

- | | | |
|-----------------------------|---------------|--|
| ☐ DD | DALI DIM | |
| ☐ D1 | 0-10V DIM | |
| ☐ PD | Phase Cut DIM | |
| ☐ OI | On/Off | |

LED CHIPS

OSRAM

CREE

TRIDONIC

TCI LED

SEOUL

Panasonic

bridgelux

NICHIA

LUMINUS

CITIZEN ELECTRONICS CO., LTD.

more information in www.la-luce.it



LA LUCE

LIGHT - DESIGN - MORE

LED DRIVERS



TRIDONIC



DONE



PHILIPS




Helvar

OSRAM

LTECH

PHOTOMETRIC



3D MODULE

